

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 44]

NEW DELHI, SATURDAY, NOVEMBER 24, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th October, 1956

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES PART (A) AND PART (C)																Assam															
Ajmer																TOTAL															
(Estd. mid-year pop. 752 thousands.)																(Estd. mid-year pop. 9,817 thousands.)															
Total for w/e 20-10-56																Total for w/e 20-10-56															
Total for w/e 13-10-56																Total for w/e 13-10-56															
7-yearly mean for the week																7-yearly mean for the week															
Andhra																Bhopal															
TOTAL																TOTAL															
(Estd. mid-year pop. 867 thousands.)																(Estd. mid-year pop. 867 thousands.)															
Srikakulam																Total for w/e 20-10-56															
Godavari East																Total for w/e 13-10-56															
Godavari West																7-yearly mean for the week															
Krishna																Bihar															
Guntur																Patna															
Nellore																Gaya															
Kurnool																Shahabad															
Cuddapah																Saranj															
Chittoor																Muzaffarpur															
TOTAL																Darbhanga															
(Estd. mid-year pop. 21,238 thousands.)																Monghyr															
Total for w/e 20-10-56																Bhagalpur															
Total for w/e 13-10-56																Santal Parganas															
7-yearly mean for the week																Hazaribagh															
TOTAL																TOTAL															

"Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th October, 1956—*contd.*

CHOLERA							SMALLPOX							PLAGUE						
CHOLERA							SMALLPOX							PLAGUE						
C. D. C. D. C. D.							C. D. C. D. C. D.							C. D. C. D. C. D.						
Orissa—contd							West Bengal													
(Estd. mid-year pop. 15,114 thousands)							Burdwan							Birbhum						
Total for w/e 20-10-56							Bankura							Howrah						
Total for w/e 13-10-56							24 Parganas							Calcutta						
7 yearly mean for the week							Nadia							Murshidabad						
							Malda							TOTAL						
							(Estd. mid-year pop. 26,396 thousands)							Total for w/e 20-10-56						
							Total for w/e 13-10-56							Total for w/e 13-10-56						
							7 yearly mean for the week							7-yearly mean for the week						
							Grand Total for States Parts (A) & (C) (Excluding Coorg, Madhya Pradesh & Vindhya Pradesh)													
							Corresponding (Estd. mid-year pop. 2,77,711 thousands)*.													
							Corresponding total for w/e 20-10-56.													
							Corresponding total for w/e 13-10-56.													
							Corresponding 7-yearly mean for the week													
							STATES PART (B)													
							Hyderabad													
							Parbhani													
							Nandad													
							TOTAL													
							Jammu and Kashmir													
							"N.R."													
							Madhya Bharat													
							"N.R."													
							Mysore													
							Bangalore													
							Bellary													
							Kolar													
							TOTAL													

Explanation of symbols used : —C. = Cases ; D. = Deaths ; . . = Nil ; "N. R." = Information not received.
*Excluding Pondicherry.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th October, 1956—*concl'd.*

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Patiala and East Punjab States Union						Bihar—<i>cont'd.</i>					
TOTAL	Shahabad	45	19
Rajasthan						Saran	35	10
"N. R."						Muzaffarpur	16	2
Saurashtra						Darbhanga	15	7
"N. R."						Monghyr	12	5
TOTAL	Bhagalpur	40	10
Travancore-Cochin						Santal Parganas	32	14
TOTAL	15	9	..	Hazaribagh	1	1
Grand Total for States Part (B)						TOTAL	359	126
..	18	11	15	9	3	Rajasthan					
Grand Total for States Parts (A), (B) and (C)						<i>For w/e 6-10-56</i>					
1,213	505	240	79	3	1	TOTAL	6
ARREAR INFORMATION						<i>For w/e 13-10-56</i>					
Bihar						TOTAL	1	..
<i>For w/e 20-10-56</i>						TYPHUS					
Patna	140	47	Place	Period	Case			
Gaya	23	11	Greater Bombay	11-10-56	1 (Flea-borne)			

Explanation of symbols used : C. = Cases; D. = Deaths; .. — Nil; "N.R." = Information not received.

NEW DELHI-2 (INDIA);

The 19th November, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 18,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th October, 1956

Town	Mid-year Popn. Est. (000)	Deaths from —											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	223	107	24.9	11	..	7	..	37	8.6	8		
Beawar	59	18	15.9	10	2	3	..	25	22.0	7		
TOTAL	282	125	23.0	21	2	10	..	62	11.4	15		
Andhra															
Adoni	63	52	42.9	3	6	..	15	12.4	3		
Anantpur	38	25	34.2	3	..	11	15.0	1		
Anakapalli	46	29	32.8	5	1	5	1	30	33.9	5		
Bhimavaram†															
Chirala†															
Chittoor	45	57	65.9	4	..	2	..	13	15.0	1		
Cuddapah	42	16	19.8	1	2	..	14	17.3	1		
Eluru	99	40	21.0	7	..	2	..	34	17.8	8		
Gudivada†															
Guntur	147	256	90.6	..	1	..	16	7	7	4	82	29.4	18		
Guntakal	37	26	36.5	1	11	15.5	4		
Kakinada†															
Kurnool	68	129	98.6	3	4	5	..	45	34.4	8		
Masulipatnam†															
Nandyal†															
Nellore	95	89	48.7	4	..	2	..	39	21.3	11		
Proddatur†															
Rajahmundry	122	108	46.0	8	..	1	..	19	8.1	3		
Tenali	67	60	46.6	2	1	8	..	30	23.3	6		
Vijayvada	201	201	52.0	7	1	5	..	47	12.2	16		
Visakhapatnam†															
Vizianagaram	75	45	31.2	4	1	5	1	35	24.3	13		
TOTAL	1,145	1,133	51.5	..	1	..	61	19	53	6	425	19.3	98		
Assam															
Shillong†															
Gauhati	51	24	24.4	1	1	17	17.4	2		
Dibrugarh†															
Silchar	43	19	22.9	2	1	1	2	12	14.4	1		
TOTAL	94	43	23.8	3	2	1	2	29	16.0	3		
Bhopal															
"N. R."															
Bihar															
"N. R."															
Bombay															
Ahmedabad	889	866	50.6	..	3	..	12	21	66	..	318	18.6	93		
Ahmednagar	88	79	46.7	3	3	4	..	32	18.9	12		
Amalner	50	43	44.7	10	..	1	..	17	17.7	1		
Bagalkot	36	28	40.4	2	..	1	1	12	17.3	4		
Baroda	242	256	55.0	16	6	16	..	66	14.2	15		
Barvi	46	49	55.4	5	1	20	22.6	4		
Belgaum	110	155	73.4	3	1	4	..	24	11.3	12		
Bhusawal	62	74	62.1	5	1	3	..	20	16.8	3		
Bijapur†															
Broach	67	56	43.4	1	..	3	..	14	10.8	3		
Cambay	41	38	47.2	1	2	1	..	32	40.1	6		
Chalisgaon	35	19	28.2	2	6	8.9	..		
Dharwar	76	32	21.9	3	1	14	9.6	1		
Dhulia	89	61	35.6	1	5	..	4	1	18	10.5	3		
Gadag Betegeri	71	48	35.2	7	..	1	2	22	16.1	9		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th October, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay—contd.														
Godra	40	51	66·3	3	7	9·1	1	
Greater Bombay	3,449	2,227	33·6	..	1	23	118	..	667	10·1	162	
Hubli	148	50	17·6	2	..	11	3·9	1	
Jalgaon	79	29	19·1	6	..	4	..	18	11·8	1	
Kalyan	73	51	36·3	2	7	5·0	1	
Kolhapur	159	155	50·7	3	1	3	..	51	16·6	10	
Malegaon	63	46	38·0	10	..	1	..	12	9·9	3	
Miraj	44	52	61·5	19	22·4	..	
Nadiad	71	54	39·6	13	..	1	..	19	13·3	9	
Nandurbar	35	25	37·1	1	1	12	17·8	6	
Nasik	119	92	40·2	4	1	9	1	36	15·7	4	
Navasari	50	44	45·8	4	..	2	..	11	11·4	1	
Pandharpur	44	44	52·0	3	3	6	..	21	24·8	6	
Patan	47	42	46·5	6	..	3	..	22	24·3	5	
Poona	607	495	42·4	4	6	30	..	124	10·6	40	
Sangli	58	34	30·5	2	..	2	..	15	13·3	3	
Satara	40	36	46·8	4	..	3	..	16	20·8	4	
Sholapur	299	342	59·4	14	12	47	..	136	23·7	36	
Surat	250	218	45·3	7	1	16	2	94	19·5	25	
Thana	61	41	35·0	4	1	5	..	16	13·6	1	
TOTAL	7,638	5,932	40·4	2	4	..	164	83	356	9	1,929	13·1	485	
Delhi State														
Delhi City	1,124	848	39·2	74	7	47	2	230	10·6	62	
New Delhi	374	402	55·9	4	2	6	..	110	15·3	18	
N.A.C. Civil Station, Delhi	117	110	48·9	1	2	..	17	7·5	9	
Delhi Cantt.	50	50	52·0	1	..	3	3·1	1	
Delhi-Shahadara	53	61	59·9	3	..	2	..	8	7·8	3	
TOTAL	1,718	1,471	44·5	81	10	58	2	368	11·1	93	
Madhya Pradesh														
"N.R."														
Madras														
Ambur†														
Aruppukottai	56	63	58·5	3	1	3	1	23	21·4	7	
Bodinayakanpur	40	23	29·9	3	2	12	15·6	..	
Cannanore	47	24	26·6	3	..	3	..	15	16·7	2	
Chidambaram	39	30	40·0	1	..	19	25·3	3	
Coimbatore	234	255	56·7	9	10	1	65	14·4	16	
Cuddalore	74	69	48·5	..	2	..	1	1	1	1	15	10·5	2	
Dindigul	90	41	23·7	7	3	4	..	29	16·8	7	
Erode	67	54	41·9	2	2	..	15	11·6	5	
Gobichetty Palyam	38	25	34·2	1	..	1	..	4	5·5	1	
Guddiyattam	53	39	38·5	1	1	..	8	7·8	..	
Kancheepuram	90	91	52·6	1	3	20	..	35	20·2	10	
Karalkudi	44	30	35·5	5	1	13	15·4	7	
Karur	50	27	28·0	1	1	1	1	17	17·7	4	
Kozhikode	176	153	45·2	1	1	12	6	95	28·0	17	
Kumbakonam	105	96	47·5	..	1	1	2	..	35	17·3	10	
Madras	1,703	1,356	41·4	..	1	..	61	99	159	3	622	18·9	157	
Mangalore	136	107	40·9	1	6	..	46	17·6	9	
Mathurai	427	300	36·5	12	7	43	2	196	23·9	49	
Mayuram †														
Malapalyam	41	12	15·2	4	1	1	..	8	10·1	3	

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week^k ending the 27th October, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from 1—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras— <i>contd.</i>													
Nagapattinam . . .	60	56	48.5	1	11	9.5	2
Ootacamund . . .	47	71	76.9	1	3	..	9	9.7	2
Palni . . .	40	20	26.0	2	9	11.7	2
Palayamkottai . . .	45	66	76.3	3	..	1	..	16	18.5	7
Palghat . . .	77	72	48.6	4	3	28	18.9	6
Periyakulam . . .	34	31	47.4	2	2	2	..	19	29.0	3
Pollachi . . .	51	39	39.8	2	1	..	18	18.4	5
Pudukottai . . .	50	42	43.7	..	1	..	2	1	13	13.5	..
Rajapalayam . . .	69	58	43.7	1	2	5	..	16	12.0	2
Salem†													
Srirangam . . .	42	28	34.7	1	3	..	11	13.6	2
Srivilliputtur . . .	44	56	66.2	1	2	16	18.9	3
Tanjore . . .	118	32	14.1	..	1	..	2	..	2	..	21	9.3	4
Tellicherry . . .	42	32	39.6	1	1	16	19.8	2
Tiruvannamalai . . .	45	47	54.3	2	..	15	15.7	1
Tirunelveli . . .	80	59	38.4	7	4	1	33	21.5	8
Tiruppur †													
Tiruchirappalli . . .	251	150	31.0	5	11	16	3	106	22.0	15
Tuticorin . . .	111	96	45.0	2	8	17	2	55	25.8	24
Vaniyambadi . . .	43	26	33.6	1	3	..	10	12.9	2
Vellore . . .	124	116	48.6	5	10	..	49	20.5	13
Villupuram . . .	39	37	49.3	1	3	4	1	17	22.7	9
Virudunagar . . .	53	64	62.8	1	3	18	17.7	7
TOTAL . . .	4,976	3,993	41.7	..	6	..	124	187	347	25	1,778	18.6	428
Orissa													
"N.R."													
Pondicherry													
Pondicherry . . .	68	72	55.1	..	2	..	3	6	6	..	23	17.6	10
Punjab (I)													
Ambala . . .	65	58	46.5	2	2	3	..	18	14.4	5
Amritsar . . .	343	257	39.0	1	4	22	1	89	13.5	25
Batala . . .	62	44	37.0	5	5	15	12.6	4
Bhiwani . . .	57	76	69.5	3	..	1	..	12	11.0	2
Perozepore . . .	45	32	37.0	2	1	1	..	14	16.2	4
Hissar . . .	39	37	49.4	1	..	2	..	3	4.0	1
Hoshiarpur . . .	51	47	48.0	2	..	14	14.4	4
Jullundur . . .	200	149	39.0	4	3	11	..	29	7.6	7
Karnal . . .	72	70	50.8	8	1	2	..	15	10.8	9
Ludhiana . . .	176	161	47.8	11	..	1	..	26	7.7	5
Moga . . .	41	54	68.7	1	1	2	..	6	7.6	2
Panipat . . .	64	55	44.8	8	1	1	..	13	10.6	4
Pathankot . . .	34	41	63.0	1	4	6.2	..
Rewari . . .	36	35	50.8	2	2	3	..	8	11.6	3
Rohtak . . .	105	83	41.1	1	1	2	..	11	5.5	3
Simla†													
Sonapat . . .	34	37	56.8	2	..	1	..	3	4.6	..
TOTAL	1,424	1,236	45.1	51	22	54	1	280	10.2	78

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile deaths (included in total deaths); .. = Nil information. "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th October, 1956—*contd.*

Deaths from :—														
Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh														
Agra	375	300	41·6	3	7	56	..	118	16·4	37	
Allahabad	349	207	31·0	1	19	..	55	8·1	11	
Amroha	61	44	37·5	5	2	5	..	25	21·4	14	
Bahraich	47	25	27·6	1	1	2	2·2	..	
Banaras	383	418	57·0	42	17	12	..	210	28·5	52	
Balla	35	11	16·4	5	7·5	4	
Banda	32	20	32·6	..	1	..	2	2	1	..	8	13·0	3	
Bareilly	203	109	28·0	8	2	11	..	33	8·5	4	
Budaun	54	40	38·6	6	1	5	..	16	15·5	3	
Basti †														
Bulandshahr†														
Chandaul	41	49	62·3	2	..	4	..	13	16·2	3	
Dehra Dun	146	52	18·5	..	1	..	2	1	3	..	11	3·9	3	
Etawah†														
Faizabad-Ayodhya	88	42	24·9	2	1	1	..	9	5·3	1	
Farrukhabad-Fatehgarh	82	65	41·4	7	1	8	..	24	15·3	10	
Ferozabad	79	32	21·2	3	..	1	..	7	4·6	2	
Ghaziabad	46	122	138·5	5	1	11	12·5	2	
Ghazipur	36	32	46·4	7	13	18·8	1	
Gorakhpur	140	62	23·0	5	3	1	..	20	7·5	5	
Gonda	35	9	13·3	
Hapur	49	47	50·0	6	1	1	..	15	16·0	8	
Hardwar	64	46	37·4	8	2	5	..	18	14·6	4	
Hathras	62	76	64·0	9	5	6	..	27	22·8	5	
Jaunpur	56	30	28·0	2	..	5	..	11	10·3	1	
Jhansi	116	148	66·6	19	3	1	..	34	15·3	10	
Kanpur	734	534	38·0	146	20	42	6	369	26·3	99	
Kasganj	34	30	46·0	6	1	8	12·2	4	
Khurja	41	35	44·5	2	4	4	..	15	19·0	6	
Koil-Aligarh	150	66	23·0	5	2	3	..	14	4·9	2	
Lucknow	494	546	57·6	22	7	22	1	141	14·9	37	
Mathura	110	131	62·2	8	2	9	..	29	13·8	4	
Mau-Nath Bhanjan†														
Meerut	185	111	31·4	7	1	7	1	24	6·8	8	
Mirzapur Vindhyachal	97	58	31·3	7	1	2	..	17	9·2	6	
Moradabad	164	180	57·3	14	4	7	..	45	14·3	14	
Muzaffarnagar	74	37	26·0	7	1	15	10·6	6	
Pilibhit†														
Rampur†														
Saharanpur	162	155	50·0	18	1	3	..	32	10·3	9	
Sambhal	65	71	57·0	8	3	4	..	19	15·3	2	
Shahjahanpur	99	106	43·3	16	3	5	..	40	16·3	15	
Sitapur	49	20	21·4	4	5	5·2	2	
TOTAL	5,037	4,066	42·0	..	2	..	414	101	253	8	1,458	15·1	397	

West Bengal

"N. R."

STATES—(Part B)

Hyderabad

"N. R."

Jammu & Kashmir

"N. R."

Madhya Bharat

"N. R."

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; I.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information. "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th October, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Mysore													
Chitaldrug	31	30	50.3	1	5	8.4	..
Bhadravati†
Bangalore	977	560	29.8	4	28	28	..	225	12.0	..
Mysore	294	108	19.1	10	4	3	..	46	8.1	..
Hassan	30	19	32.9	4	16.9	..
Kolar	32	20	32.5	2	1	5	8.1	..
Billary	78	84	56.0	5	4	35	23.3	..
Davangere	69	31	23.4	2	1	9	6.7	..
Hospet	45	23	26.6	3	..	11	12.7	..
Shimoga	57	36	32.8	9	1	1	..	16	14.6	2
TOTAL	1,613	911	29.4	32	40	35	..	356	11.5	..
PEPSU													
"N.R."													
Rajasthan													
Alwar†
Bharatpur	38	16	21.8	7	..	1	..	9	12.3	2
Bikaner	117	23	9.9	5	..	8	..	20	8.9	1
Churu	48	9	9.8	1	1.1	..
Ganganagar	47	4	1	10	11.1	..
Tonk†
Kotah	72	23	16.6	6	1	4	..	27	19.5	5
Sikar†
Jaipur	353	104	15.4	36	9	10	..	88	13.2	30
Udaipur†
Jodhpur†
TOTAL	675	175	13.5	..	1	..	58	11	23	..	155	11.9	38
Travancore-Cochin													
Alleppey	148	6	2.1	2	..	2	..	15	5.3	1
Changanacherry	41	28	35.5	2	..	1	..	5	6.3	..
Ernakulam	70	74	55.0	3	3	3	..	24	17.8	5
Kottayam	50	46	47.8	1	5	..	27	28.1	2
Mattanchery	85	81	49.6	1	2	1	..	19	11.6	3
Nagercoil	94	33	18.3	2	..	2	..	10	5.5	1
Quilon†
Trichur	76	71	48.6	1	..	2	..	10	6.8	1
Trivandrum City	218	41	9.8	1	1	..	6	1.4	..
TOTAL	782	380	25.3	11	7	17	..	116	7.7	13
Saurashtra													
Bhavnagar	157	77	25.5	7	3	6	..	35	11.6	9
Dhoraji	47	26	28.8	4	2	1	..	9	10.0	3
Gondal	41	24	30.4	1	1	1	..	5	6.3	2
Jamnagar	122	27	11.5	2	..	1	..	13	5.5	4
Junagadh	65	53	42.4	8	..	2	..	22	17.6	7
Morvi	43	26	31.4	2	1	1	..	4	4.8	1
Porbandar	64	54	38.8	13	..	4	..	25	20.3	12
Rajkot	167	146	45.5	7	2	2	1	63	19.6	16
Surendranagar†
Veraval	46	15	17.0	3	1	1	..	10	11.3	2
TOTAL	752	448	31.0	47	10	19	1	186	12.9	56

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th October, 1956—*contd.*

Deaths from —

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
<i>for w/e 20-10-56</i>													
Bihar													
Arrah	70	4	3.0	3	3	2.2	..
Bihar	68	8	6.1	1	3	2.3	..
Bettiah†													
Bhagalpur†													
Chapra	69	36	27.1	1	7	13	9.8	..
Darbhanga	93	31	17.3	2	1	6	3.4	1
Dhanbad	41	9	11.4	3	3.8	..
Dinapur	44	6	7.1	4	6	7.1	..
Gaya	149	59	20.6	14	16	40	14.0	..
Hazaribagh	39	9	12.0	6	8.0	..
Jamalpur	47	3	3.3	2	1	3	3.2	..
Jamshedpur	246	165	34.9	1	..	2	1	26	5.5	7
Katihar	51
Monghyr	80	10	6.5	1	2	1.5	..
Muzaffarpur	84	14	8.7	19	11.8	..
Patna	330	253	39.9	1	5	..	1	1	51	8.0	..
Purulia	47	7	7.7	1	1	1.1	..
Ranchi	130	24	9.6	10	1	14	5.6	3
Total	1,588	638	20.9	1	40	26	3	7	196	6.4	11
West Bengal													
<i>for w/e 20-10-56</i>													
Asansol†													
Baidyabati†													
Bally	66
Bankura	50
Banarhat†													
Baranagar	90	48	27.8	2	2	2	..	16	9.3	5
Basirhat	39
Berhampur	64	101	82.5	2	19	15.4	6
Bhadreshwar	34
Bhatpara	143	48	17.6	9	2	3	..	29	10.6	10
Budge Budge	32	26	42.5	2	3.3	..
Burdwan	82	12	7.7	1	1	8	5.1	..
Calcutta	2,984	1,630	28.6	2	2	..	33	37	121	4	582	10.2	197
Chandpur†													
Chandpur†	41	18	23.0
Cooch Behar†													
Darjeeling†													
English Bazar	36
Garden Reach	124	16	6.7	4	1	3	1	15	6.3	4
Halisahar	41	2	2.6
Hooghly-Chinsurah	60	86	74.8	1	..	1	..	9	7.8	5
Howrah	477	216	23.7	2	3	..	3	11	38	..	125	13.7	45
Jaipalpur†													
Kamarhati†													
Kanchrapara	74
Krishnanagar	56
Midnapore	45	2	2.3	1	1	1	..	5	5.7	..
Nabadwip†													
Naihati	62
North Barrackpore	36	5	7.2	1	1	..	2	2.8	1
Panhati	65	1	0.8
Shantipur	49
Serampore	83	45	28.3	1	2	2	..	17	10.7	3
Siliguri†													
South Dum Dum	83	1	0.6
South Suburban	124	4	3	..	12	5.0	4
Titagarh	78	27	18.0	12	1	2	..	19	12.6	2
TOTAL	5,118	2,284	23.2	4	5	..	66	64	178	6	860	8.8	282

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.]

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th October, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madhya Pradesh				for w/e 20-10-56										
Achalpur†														
Akola†														
Amravati†														
Bilaspur	40	38	49.4	1	3	1	..	12	15.6	2	
Burhanpur	79	61	40.2	3	1	6	..	20	13.1	..	
Chanda	43	65	78.6	3	16	19.3	4	
Chindwara	31	13	21.8	3	7	11.7	1	
Damoh†														
Gondia	45	45	53.2	6	..	1	1	13	15.0	2	
Hinganghatt†														
Jabalpur†														
Khandwa	59	21	18.5	9	7.9	..	
Khangaon†														
Kamptee†														
Murwar†														
Itarsi	30	26	45.1	2	1	3	5.2	2	
Nagpur†														
Sagar	75	43	29.8	7	..	2	..	20	13.9	..	
Raipur†														
Raigarh	35	34	42.1	4	2	13	16.1	..	
Wardha†														
Yestmal	41	58	73.6	4	22	27.9	9	
TOTAL	478	405	44.1	33	6	10	2	135	14.7	20	
Rajasthan				for w/e 20-10-56										
Alwar	60	9	7.8	1	2	..	5	4.3	..	
Bharatpur	38	9	12.3	4	6	8.2	..	
Bikaner	117	50	22.2	5	2	3	..	30	13.3	10	
Churu	48	10	10.8	1	2	2.2	..	
Ganganagar	47	2	..	6	..	1	..	15	16.6	3	
Jaipur	353	121	17.8	38	5	18	8	97	14.3	19	
Kotah	72	22	15.9	5	9	6.5	1	
Tonk	45	6	6.9	
TOTAL	780	227	15.1	..	2	..	59	8	24	8	164	10.9	33	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 27th October, 1956 relate to 183 towns with an estimated population of 26,204 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 58% of the total number of towns representing 63% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 19,985 and 7,165 representing birth and death rates of 39.7 and 14.2 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 151 towns with an estimated population of 22,382 thousands. Information about Bhopal, Bihar, Madhya Pradesh, Orissa & West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 60% of the total number of towns

representing 67% of the total population is covered. The number of births and deaths recorded in these towns were 18,071 and 6,352 representing birth rates and death rates of 42.0 and 14.8 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 32 towns with an estimated population of 3,822 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 49% of the total number of towns representing 47% of the total population is covered. The number of births and deaths recorded in these towns were 1,914 and 813 representing birth and death rates of 26.0 and 11.1 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 27-10-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	23.0	11.4	†	†	44.8	12.3
Andhra	51.5	19.3	30.4	13.9	†	†
Bombay	40.4	13.1	38.0	12.3	38.6	14.9
Delhi	44.5	11.1	29.4	4.1	50.1	9.3
Madras	41.7	18.6	28.5	11.8	†	†
Punjab (I) . . .	45.1	10.2	36.9	8.2	39.8	10.3
Uttar Pradesh . .	42.0	15.1	37.2	12.0	38.4	16.2
India*	42.0	14.8	34.2	11.2	39.1	16.5

*5 Part 'A' States and 2 Part 'C' States.

†Figures not available

NEW DELHI-2 (INDIA) ;
The 19th November, 1956. }

K. MITRA,
for Registrar General, India.